

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<TaskerData sr="" dvi="1" tv="4.6u3m">
  <Task sr="task12">
    <cdate>1420737966087</cdate>
    <edate>1423633110628</edate>
    <id>12</id>
    <nme>enciende la pantalla</nme>
    <pri>10</pri>
    <Action sr="act0" ve="7">
      <code>11820</code>
      <Bundle sr="arg0">
        <Vals sr="val">
          <com.intangibleobject.securesettings.plugin.extra.BLURB>Screen & Keyboard Lights On 30
          Seconds</com.intangibleobject.securesettings.plugin.extra.BLURB>
          <com.intangibleobject.securesettings.plugin.extra.BLURB-type>java.lang.String</com.intangibleobject.securesettings.plugin.extra.BLURB-
          type>
          <com.intangibleobject.securesettings.plugin.extra.SETTING>wake_device</com.intangibleobject.securesettings.plugin.extra.SETTING>
          <com.intangibleobject.securesettings.plugin.extra.SETTING-type>java.lang.String</com.intangibleobject.securesettings.plugin.extra.SETTING-
          type>
          <com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_DURATION>30000</com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_DURA
          <com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_DURATION-
          type>java.lang.Long</com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_DURATION-type>
          <com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_TYPE>full</com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_TYPE>
          <com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_TYPE-
          type>java.lang.String</com.intangibleobject.securesettings.plugin.extra.WAKE_LOCK_TYPE-type>
          <com.twofortyfouram.locale.intent.extra.BLURB>Screen & Keyboard Lights On 30 Seconds</com.twofortyfouram.locale.intent.extra.BLURB>
          <com.twofortyfouram.locale.intent.extra.BLURB-type>java.lang.String</com.twofortyfouram.locale.intent.extra.BLURB-type>
          <net.dinglish.android.tasker.subbundled>true</net.dinglish.android.tasker.subbundled>
          <net.dinglish.android.tasker.subbundled-type>java.lang.Boolean</net.dinglish.android.tasker.subbundled-type>
        </Vals>
      </Bundle>
      <Str sr="arg1" ve="3">com.intangibleobject.securesettings.plugin.<Str>
      <Str sr="arg2" ve="3">Secure Settings</Str>
      <Int sr="arg3" val="0"/>
    </Action>
    <Action sr="act1" ve="7">
      <code>12931</code>
      <Bundle sr="arg0">
        <Vals sr="val">
          <ActionId>Tasker</ActionId>
          <ActionId-type>java.lang.String</ActionId-type>
          <ActionTimeout><null></ActionTimeout>
          <ActionTimeout-type>java.lang.String</ActionTimeout-type>
          <ActionType>16</ActionType>
          <ActionType-type>java.lang.String</ActionType-type>
          <FieldSelectionType>0</FieldSelectionType>
          <FieldSelectionType-type>java.lang.String</FieldSelectionType-type>
          <IsTaskerAction>false</IsTaskerAction>
          <IsTaskerAction-type>java.lang.Boolean</IsTaskerAction-type>
          <NearbyText><null></NearbyText>
          <NearbyText-type>java.lang.String</NearbyText-type>
          <StoredAction><null></StoredAction>
          <StoredAction-type>java.lang.String</StoredAction-type>
          <com.twofortyfouram.locale.intent.extra.BLURB>Type: Text Value: Tasker Action : Click</com.twofortyfouram.locale.intent.extra.BLURB>
          <com.twofortyfouram.locale.intent.extra.BLURB-type>java.lang.String</com.twofortyfouram.locale.intent.extra.BLURB-type>
          <net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS>
            plugininstanceid pluginintypeid StoredAction ActionId FieldSelectionType ActionType ActionTimeout NearbyText
          </net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS>
          <net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS-
          type>java.lang.String</net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS-type>
          <net.dinglish.android.tasker.subbundled>true</net.dinglish.android.tasker.subbundled>
          <net.dinglish.android.tasker.subbundled-type>java.lang.Boolean</net.dinglish.android.tasker.subbundled-type>
          <plugininstanceid>12814a1a-599b-4727-adc9-7fa43d7a23b6</plugininstanceid>
          <plugininstanceid-type>java.lang.String</plugininstanceid-type>
          <pluginintypeid>com.joaomgcd.autoinput.intent.IntentPerformAction</pluginintypeid>
          <pluginintypeid-type>java.lang.String</pluginintypeid-type>
        </Vals>
      </Bundle>
      <Str sr="arg1" ve="3">com.joaomgcd.autoinput.<Str>
      <Str sr="arg2" ve="3">AutoInput Action</Str>
      <Int sr="arg3" val="20"/>
    </Action>
    <Action sr="act2" ve="7">
      <code>30</code>
      <Int sr="arg0" val="500"/>
      <Int sr="arg1" val="0"/>
      <Int sr="arg2" val="0"/>
      <Int sr="arg3" val="0"/>
      <Int sr="arg4" val="0"/>
    </Action>
    <Action sr="act3" ve="7">
      <code>25167</code>
      <Bundle sr="arg0">
        <Vals sr="val">
          <GlobalAction>2</GlobalAction>
          <GlobalAction-type>java.lang.String</GlobalAction-type>
          <com.twofortyfouram.locale.intent.extra.BLURB>Action: Home</com.twofortyfouram.locale.intent.extra.BLURB>
          <com.twofortyfouram.locale.intent.extra.BLURB-type>java.lang.String</com.twofortyfouram.locale.intent.extra.BLURB-type>
          <net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS>plugininstanceid pluginintypeid
          GlobalAction</net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS>
          <net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS-
          type>java.lang.String</net.dinglish.android.tasker.extras.VARIABLE_REPLACE_KEYS-type>
          <net.dinglish.android.tasker.subbundled>true</net.dinglish.android.tasker.subbundled>
          <net.dinglish.android.tasker.subbundled-type>java.lang.Boolean</net.dinglish.android.tasker.subbundled-type>
          <plugininstanceid>fa36f463-17fe-46df-9a49-c4bb96c4c9c1</plugininstanceid>
          <plugininstanceid-type>java.lang.String</plugininstanceid-type>
          <pluginintypeid>
            com.joaomgcd.autoinput.intent.IntentPerformGlobalAction
          </pluginintypeid>
          <pluginintypeid-type>java.lang.String</pluginintypeid-type>
        </Vals>
      </Bundle>
  </Task>
</TaskerData>
```

```
<Str sr="arg1" ve="3">com.joaomgcd.autoinput</Str>
<Str sr="arg2" ve="3">AutoInput Global Action</Str>
<Int sr="arg3" val="20"/>
</Action>
<Action sr="act4" ve="7">
  <code>30</code>
  <Int sr="arg0" val="500"/>
  <Int sr="arg1" val="0"/>
  <Int sr="arg2" val="0"/>
  <Int sr="arg3" val="0"/>
  <Int sr="arg4" val="0"/>
</Action>
</Task>
</TaskerData>
```